

LIGHTING



LIGHTING

Metris LED Lights	4
LED Driver & Extension Cable	4
Domus FlexyLED Modules	5
Power Supply Cable	6
Aluminium Profile & Diffuser	6

Metris 12 Volt 1.6W LED Light



- Made in Italy to comply with Australian Standards
- 24 LEDs - Total 1.6W
- 12 Volt
- 2m cable with Micro12 Connectors
- Available in Chrome Plated, Satin Nickel or White
- 8mm installation depth
- Recessed LED light fitting only

Part No	Description	Finish	Price /1	Price /10	Per
DM12.NW.CP	LED Natural White	CP	\$28.62	\$25.76	ea
DM12.NW.SN	LED Natural White	SN	\$28.62	\$25.76	ea
DM12.NW.WH	LED Natural White	WH	\$28.62	\$25.76	ea
DM12.WW.CP	LED Warm White	CP	\$28.62	\$25.76	ea
DM12.WW.SN	LED Warm White	SN	\$28.62	\$25.76	ea
DM12.WW.WH	LED Warm White	WH	\$28.62	\$25.76	ea

LED Driver



- Fully approved to Australian Standards
- 2m Power lead
- Distribution block with 12 MiniPlug Socket distributor block connected

Part No	Description	Price /1	Price /10	Per
DSNP15.12	12V DC LED Driver 15W	\$35.27	\$31.40	ea
DSNP30.12	12V DC LED Driver 30W	\$56.56	\$50.36	ea

Extension Cable - Micro 12




- Use for extending cable between LED Driver distribution block, and the light fitting
- This cable should be kept to the minimum length possible

Part No	Description	Price /1	Price /10	Per
DEXT12.1000	Extension Cable - 1 metre	\$6.27	\$5.64	ea
DEXT12.2000	Extension Cable - 2 metre	\$9.52	\$8.56	ea

Domus FlexyLED CR Modules



- Made in Italy to comply with Australian Standards
- Can be cut to lengths of 50mm increments
- Maximum 6 lineal metres in one run
- 60 LED's per metre
- 12 Volt, 4.8W per metre
- A separate power supply cable MUST be ordered for every unbroken run of FLEXYLED CR modules
- Power supply cable must be ordered separately (see page 34)
- LED strip only. For compatible LED Drivers




Part No	Description	Price /1	Price /10	Per
DFLEXCR.250.NW	250mm Natural White	\$13.27	\$11.95	ea
DFLEXCR.500.NW	500mm Natural White	\$20.48	\$18.43	ea
DFLEXCR.1000.NW	1000mm Natural White	\$39.66	\$35.69	ea
DFLEXCR.2000.NW	2000mm Natural White	\$74.95	\$67.45	ea
DFLEXCR.250.WW	250mm Warm White	\$13.27	\$11.95	ea
DFLEXCR.500.WW	500mm Warm White	\$20.48	\$18.43	ea
DFLEXCR.1000.WW	1000mm Warm White	\$39.66	\$35.69	ea
DFLEXCR.2000.WW	2000mm Warm White	\$74.95	\$67.45	ea

Domus FlexyLED CR Corner



- Made in Italy to comply with Australian Standards
- Suitable for 90° corners in the horizontal plane.
- 12 Volt 0.48W
- Compatible with the Flexyled CR Modules
- A separate power supply cable MUST be ordered for every unbroken run of FLEXYLED CR modules
- Power supply cable must be ordered separately (see page 34)
- LED strip only



Part No	Description	Price /1	Price /10	Per
DFLEXCR.CNR.R.NW	Right - Natural White	\$10.60	\$9.54	ea
DFLEXCR.CNR.L.NW	Left- Natural White	\$10.60	\$9.54	ea
DFLEXCR.CNR.R.WW	Right - Warm White	\$10.60	\$9.54	ea
DFLEXCR.CNR.L.WW	Left - Natural White	\$10.60	\$9.54	ea


FlexyLED CR Power Supply Cable



- Connects power from LED Driver to Flexyled strip
- 1 Power supply cable required for each run of Flexyled RGB Strip
- 2m long with MultiPlug and Micro RGB connectors
- A separate power supply cable MUST be ordered for every unbroken run of FLEXYLED RGB modules

Part No	Description	Price /1	Price /10	Per
DFLEXCR.PS	Supply Cable 2mtr	\$9.26	\$8.33	ea


Twig Profile Aluminium Profile & Diffuser



- Made in Italy to comply with Australian Standards
- Only FLEXYLED CR can be used as a light source. Strip modules, corners and connectors all fit within the profile
- Surface Mount type profile only
- light source must be ordered separately
- Supplied in 3 metre lengths only

Part No	Description	Price /1	Price /10	Per
DPK.TWIG.3M	Aluminium Profile & Diffuser	\$74.95	\$67.45	ea
DTP.EC.GY	Twig Profile End Cap Grey	\$4.49	\$4.04	ea
DTP.MC	Twig Profile Fixing Clip	\$3.32	\$2.99	ea

String Profile



- Made in Italy
- Recessed type Diffuser profile only (light source must be ordered separately)
- Supplied in 3 metre lengths only
- Can be easily cut to length
- Aluminium strip clips into the back of the diffuser profile. Suitable light source can be adhered to the Aluminium backing strip and then clipped into the diffuser. Diffuser profile can be pushed into the pre-cut groove
- FLEXYLED CR can be used as a light source. Strip modules, corners and connectors all fit within the profile
- Spring clips allow for very flexible installation grooves
- Finish: Translucent (TR)

Part No	Description	Price /1	Price /4	Per
DST.BP.ALU	Domus String Profile Alu - 3m	\$11.51	\$10.36	ea
DST.DP.TR	String HP Profile Diffuser - 3m	\$26.78	\$24.10	ea